


# REPAIR PARTS MANUAL

MODEL NO. MRT850 (96091002000) 900 Series Briggs & Stratton Engine 17 Inch Tiller




# TILLER - - MODEL NUMBER MRT850 (96091002000), PRODUCT NUMBER 960 91 00-20 HANDLE ASSEMBLY




KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1	532 18 94-82	Control, Throttle	21	532 18 05-17	Handle
2	532 42 76-43	Grip, Handle	23	532 08 67-77	Screw, Hex Washer Hd. Slotted
4		Bar Assembly, Control			#10-24 x 1/2
6		Panel, Control	24	532 00 94-84	Clip
8	871 19 10-08	Screw, Phd. #10-24	26	532 15 92-31	Cable, Clutch
10	532 00 82-06	Grip, Handle	27	873 90 04-00	Nut Hex Flange 1/4-20 unc
11	532 12 47-88	Clip, Hairpin	29	873 73 10-00	Nut, Keps #10-24 unc
12	532 08 13-28	Bolt, Shoulder	30	532 10 41-64	Tie, Cable
13	532 18 74-97	Handle, Shift	31	532 15 06-96	Bolt, Pivot
14	532 10 93-13	Grommet, Rubber	33	872 14 04-04	Bolt, Carriage 1/4-20 unc x 1/2
15	532 10 93-37	Rod, Shift	37		Grip, Bar, Control
16	872 11 06-08	Bolt, Carriage 3/8-16 x 1 Gr. 5	41	532 10 27-44	Clamp, Bar, Control
17	532 10 92-29	Lock, Handle			
18	873 68 06-00	Nut, Crownlock 3/8-16 unc			
19	819 13 16-11	Washer 13/32 x 1 x 11 Ga.	NOTE	: All compone	ent dimensions given in U.S. inches.
20	532 10 92-28	Lever, Lock, Handle		1 inch = 25.	

#### TILLER - - MODEL NUMBER MRT850 (96091002000), PRODUCT NUMBER 960 91 00-20 MAINFRAME, LEFT SIDE




KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
3	873 22 06-00	Nut, Hex 3/8-16	27	532 13 28-01	Belt, V
4	532 43 24-20	Shield, Inner Belt Guard RT	28	532 10 46-79	Pulley, Idler
5	532 16 43-29	Pin Spirol Flared	29	812 00 00-32	
6	532 11 01-11	Lever, Shift	30	532 15 92-29	Bracket, Idler
7	872 11 04-04	Bolt, Carriage 1/4-20 x 1/2 Gr. 5	31	532 10 23-84	Bolt, Hex 5/16-16 x 12
8	532 00 87-00	Plate, Shift Indicator	32	532 10 21-41	Shaft, Idler Arm
9	532 08 67-77	Screw, Hex, Washer Head, Slotted	33	874 76 06-16	Bolt, Hex 3/8-16 x 1
		#10-24 x 1/2	34	532 10 23-83	Counterweight, L. H.
10	532 00 94-84	Clip	35	874 76 05-28	Bolt, Hex 5/16-18 unc x 1-3/4
12	873 51 04-00	Nut, Keps Hex 1/4-20 unc	36	532 10 23-31	Bracket, Reinforcement, L. H.
13	823 23 05-06	Screw, Set, Hex 5/16-18 x 3/8	37	532 13 08-12	Sheave, Engine
14	532 15 61-17	Spacer, Split 0.327 x 0.42 x 1.220	38	874 76 05-44	Bolt, Fin Hex 5/16-18 unc x 2-3/4
15	819 11 11-16	Washer 11/32 x 11/16 x 16 Ga.	39	532 14 00-62	Cap, Plunger Blk
16	532 14 51-02	Sheave, Transmission	40	532 17 04-88	Screw Hex Wsh Slt #10-24 x 1/2
19	812 00 00-28	Retainer, Ring	44	873 80 05-00	Nut Lock Hex w/Ins 5/16-18 unc PL
21	532 11 06-52	Spacer, Split 0.327 x 0.42 x 2.09	65	873 97 05-00	Nut Lock Hex Flange
22	874 77 05-08	Bolt, Fin Hex 5/16-24 unf x 1/2	66	819 13 13-12	Washer 13/32 x 13/16 x 12 Ga.
23	532 00 50-15	Tire	68	873 51 06-00	Nut, Keps 3/8-16 unc
	532 12 72-59	Rim	69	532 16 41-73	Keeper Belt Engine
	532 12 47-18	Tire Valve			
24	532 12 68-75	Rivet, Drilled			
25	532 12 47-88	Clip, Hairpin	NOTE	E: All compone	ent dimensions given in U.S.
26	532 40 72-86	Guard, Belt			ch = 25.4 mm

# TILLER - - MODEL NUMBER MRT850 (96091002000), PRODUCT NUMBER 960 91 00-20 MAINFRAME, RIGHT SIDE




<b>KEY</b>	PART		<b>KEY</b>	PART	
NO.	NO.	DESCRIPTION	NO.	NO.	DESCRIPTION
1 2 3		Bumper Locknut, Hex, Flange 5/16-18 Washer 11/32 x 11/16 x 16 Ga.	15	532 12 47-18	Engine, Briggs & Stratton
4 5	874 76 05-12	Bolt, Hex 5/16-18 x 3/4  Bracket, Reinforcement			Model No. 121002-1383-B8 (Order parts from engine manufacturer)
7 10	874 76 05-24	Counter Weight, R.H. Bolt, Hex 5/16-18 x 1-1/2	44	873 51 06-00	Nut, Keps 3/8-16 unc
11 12		Rivet, Drilled			
13	532 00 50-15 532 12 72-59		NOTE	:: All compone 1 inch = 25.	ent dimensions given in U.S.inches. .4 mm

# TILLER - - MODEL NUMBER MRT850 (96091002000), PRODUCT NUMBER 960 91 00-20 TRANSMISSION




KEY NO.	PART NO.	DESCRIPTION	KEY NO.		DESCRIPTION
1	532 18 85-54	Transmission Assembly (Includes Key Nos. 2-53)	30 31		Ground Shaft Assembly Bearing, Shaft, Ground Drive R.H.
2	532 18 84-82	Gearcase, L.H. w/Bearing (Includes Key No. 4)	32 33	532 10 63-88	Spacer 0.70 x 1.00 x 1.150 Sprocket and Gear Assembly
3		Gasket, Gearcase	34	532 10 21-12	2 Shaft, Reduction (2nd)
4		Bearing, Needle	35		Screw, Whiz, Lock 5/16-18 x 3-1/2
5		Washer, Thrust 5/8 x 1.10 x 1/32	36	532 15 43-55	Sprocket Assembly w/Bearing (In-
6		Pinion, Input	0.7	E00 00 44 00	cludes Key Nos. 37 and 38)
7	532 14 51-01		37		P. Bearing, Needle
8 9		Bearing, Needle	38		S Sprocket, Tine
9 10	532 15 44-67	Washer, Seal	39 40		Gear, Cluster, Red 1st & 2nd
11		Spring, Shift, Fork	41		Gear, Reverse General Schaft, Reduction (1st)
12	532 10 61-60		42		Washer, Thrust
13	532 14 21-45	•	43		S Spacer 1.01 x 1.75 x 0.760
14	532 00 83-53		44		S Seal Asm, Oil
15	812 00 00-39		48		Gearcase, R.H. w/Bearing (In-
16	532 15 44-66				cludes Key No. 8)
18	532 00 43-58	Washer	49	532 43 14-85	
19	812 00 00-40	Ring, Klip	50	532 10 61-47	Chain, Roller #50-50 Pitch
20	532 10 21-14	Gear, Assembly, Reverse Idler	51	817 72 04-08	3 Screw 1/4-20 x 1/2
		(Includes Key Nos. 21 and 22)	52	873 22 05-00	Nut, Hex 5/16-18
21		Gear, Reverse Idler	53	532 16 51-40	,
22		Bearing, Needle	58		Bolt Shoulder
23		Shaft, Reverse Idler	60		Fitting Grease
24		Washer, Lock 7/16	62		5 Spacer 1.015 X 1.50 x .650
25		Nut, Hex 7/16-20		532 00 60-66	Grease, Plastilube #1
27		Bearing, Shaft, Ground Drive L.H.			
28		Spacer 0.765 x 1.125 x 1.23	NO.	FE: All compon	ent dimensions given in U.S. inches.
29	532 10 21-34	Chain #35-50 Pitch	5	1 inch = 25	5.4 mm

# TILLER - - MODEL NUMBER MRT850 (96091002000), PRODUCT NUMBER 960 91 00-20 TINE SHIELD




KEY	PART		<b>KEY</b>	PART	
NO.	NO.	DESCRIPTION	NO.	NO.	DESCRIPTION
1	873 90 05-00	Nut, Lock Hex Flange 5/16-18	23	532 00 44-40	Hinge
2	532 19 57-97	Shield, Side, Outer L. H.	24		Bolt, Carriage 1/4-20 x 1/2 Gr. 5
3	532 00 83-93	Pin, Stake, Depth	25	532 00 67-12	Cap, Vinyl
4	812 00 00-35	Ring, Klip	26	532 10 92-27	Pad, Idler
5	532 18 08-47	Bolt, Carriage 5/16-18 x 3/4	27	532 19 57-94	Shield, Leveling
6	532 00 83-94	Spring	28	532 12 05-88	Pin, Hinge
7	532 00 83-92	Bracket, Latch	29	532 40 43-64	Shield, Side
8	532 10 92-30	Spring, Depth Stake	30	873 97 05-00	Locknut, Flange 5/16-18
9	532 19 58-10		32	873 22 04-00	Nut Fin Hex 1/4-20 unc
13	872 11 05-10	Bolt, Carriage 5/16-18 x 1-1/4	33	810 04 04-00	Washer Lock Hvy Helical 1/4
14	532 12 43-11	Bracket, Shield Tine	35	872 11 05-05	Bolt Carr. 5/16 -18
15	532 19 57-96	Shield, Side, Outer R.H.	37	873 80 05-00	Nut, Lock 5/16-18 unc
16		Nut, Hex Flange 1/4-20 unc	38	873 51 05-00	Nut, Keps 5/16-18 unc
18	872 04 04-10	Bolt, Carriage 1/4-20 x 1-1/4 Gr. 5			•
19	532 10 27-01	Grip			
20	873 22 06-00	Nut, Hex 3/8-16			
21	532 10 21-56	Stake, Depth	NOTE	: All compone	ent dimensions given in U.S. inches.
22	874 93 06-32	Bolt, Hex 3/8-16 x 2		1 inch = 25.	


# TILLER - - MODEL NUMBER MRT850 (96091002000), PRODUCT NUMBER 960 91 00-20 TINE ASSEMBLY



KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1	532 00 44-59	Tine, Outer, L.H.	10	532 13 27-28	Assembly, Hub and Plate, R.H.
2	532 13 26-73	Clevis Pin			Tine, Inner, R.H.
3	532 00 65-54	Tine, Inner, L.H.	34	873 54 06-00	Nut Crownlock 3/8-24
4	532 12 46-60	Retainer, Spring Zinc			
5	532 13 27-27	Assembly, Hub and Plate, L.H.			
8		Bolt, Hex 3/8-24 x 1	NOTE	: All compone	ent dimensions given in U.S. inches.
9	532 00 44-60	Tine, Outer, R.H.		1 inch = 25.	4 mm

# TILLER - - MODEL NUMBER MRT850 (96091002000), PRODUCT NUMBER 960 91 00-20 DECALS





<b>KEY</b>	PART	
NO.	NO.	DESCRIPTION
1	532 43 37-62	Decal, CNTRL PNL
2	532 43 47-52	Decal, Blt Grd
4	532 18 08-16	Decal, CNTRL Panel
5	532 12 04-31	Decal, Hand Placement
6	532 10 21-80	Decal, Shift Indicator
7	532 16 22-15	Decal, Warning
8	532 19 66-26	Decal, Tine Shield
9	532 12 00-75	Decal, Warning
10	532 16 88-69	Decal, Tick Mark
13	532 40 91-43	Decal, B&S Tank
14	532 43 22-78	Decal, Engine
	532 43 36-49	Manual, Operator's (English)
	532 43 36-50	Manual, Parts

### **SERVICE NOTES**

### **SERVICE NOTES**

### **SERVICE NOTES**

#### LIMITED WARRANTY

The Manufacturer warrants to the original consumer purchaser that this product as manufactured is free from defects in materials and workmanship. For a period of two (2) years from date of purchase by the original consumer purchaser, we will repair or replace, at our option, without charge for parts or labor incurred in replacing parts, any part which we find to be defective due to materials or workmanship. This Warranty is subject to the following limitations and exclusions.

- 1. This warranty does not apply to the engine, transaxle/transmission components, battery (except as noted below) or components parts thereof. Please refer to the applicable manufacturer's warranty on these items.
- Transportation charges for the movement of any power equipment unit or attachment are the responsibility of the purchaser. Transportation charges for any parts submitted for replacement under this warranty must be paid by the purchaser unless such return is requested by the manufacturer.
- 3. Battery Warranty: On products equipped with a Battery, we will replace, without charge to you, any battery which we find to be defective in manufacture, during the first ninety (90) days of ownership. After ninety (90) days, we will exchange the Battery, charging you 1/12 of the price of a new Battery for each full month from the date of the original sale. Battery must be maintained in accordance with the instructions furnished.
- 4. The Warranty period for any products used for rental or commercial purposes is limited to 90 days from the date of original purchase.
- 5. This Warranty applies only to products which have been properly assembled, adjusted, operated, and maintained in accordance with the instructions furnished. This Warranty does not apply to any product which has been subjected to alteration, misuse, abuse, improper assembly or installation, delivery damage, or to normal wear of the product.
- 6. Exclusions: Excluded from this Warranty are belts, blades, blade adapters, normal wear, normal adjustments, standard hardware and normal maintenance.
- 7. In the event you have a claim under this Warranty, you must return the product to an authorized service dealer.

Should you have any unanswered questions concerning this Warranty, please contact:

HOP Outdoor Products Customer Service Dept. 1030 Stevens Creek Road Augusta, GA 30907 USA In Canada contact: HOP 5855 Terry Fox Way Mississauga, Ontario L5V 3E4

giving the model number, serial number and date of purchase of your product and the name and address of the authorized dealer from whom it was purchased.

THIS WARRANTY DOES NOT APPLY TO INCIDENTAL OR CONSEQUENTIAL DAMAGES AND ANY IMPLIED WARRANTIES ARE LIMITED TO THE SAME TIME PERIODS STATED HEREIN FOR OUR EXPRESSED WARRANTIES. Some areas do not allow the limitation of consequential damages or limitations of how long an implied Warranty may last, so the above limitations or exclusions may not apply to you. This Warranty gives you specific legal rights, and you may have other rights which vary from locale to locale.

This is a limited Warranty within the meaning of that term as defined in the Magnuson-Moss Act of 1975.

